


INSTALLING ITIMS IN WINDOWS VISTA WITH IE 7

27.Feb.2009


ITIMS Helpdesk

1. For Internet Explorer 7
 - a. Make sure any previous versions of Jinitiator are uninstalled from your PC prior to following these instructions. After you uninstall Jinitiator from your PC, delete the Jinitiator folder in **Program Files → Oracle → Jinitiator** (DO NOT DELETE THE ORACLE FOLDER)
 - b. Make sure Live Tool Bar is turned off or another default search provider is selected (e.g., Google)
 - c. Click the down arrow to the left of the Live Tool Bar → **Change Search Defaults → Find More Providers** (choose an alternate provider if not available) → Click **Set Default** → Remove **Live Search** → Click **OK**
 - d. If you need additional help configuring IE 7, please refer to the **Oracle Jinitiator User Support IE 7** document located on the ITIMS website.
2. Download latest version of Java
 - a. If the latest version is already downloaded to your PC (you can search for what the latest version is at the Java website: <http://www.java.com/en/>), then clear out the Java cache:
 - b. **Control Panel → Java → General Tab** → Under *Temporary Internet Files* click **Settings** → Click **Delete Files** → Click **OK** (this will clear out the temporary files stored on your PC) → Click **OK** again
3. Download and install Jinitiator client from ITIMS Website (<https://www.itims.doi.gov>; located toward the bottom left)
 - a. Follow the prompts
 - b. After the installation is complete, close the IE 7 browser


4. Go to **Control Panel → JInitiator Control Panel → Proxies** → Uncheck ‘Use Browser Settings’ and click **Apply**; “X” out of JInitiator Control Panel




5. Go to **Computer → Local Disk (C:) → Program Files**




6. Go to **Java → jre6 → bin → client** and *select* and *copy* the **jvm.dll** file




7. Next go to **Oracle → JInitiator 1.3.1.28 → bin → hotspot** and *paste* the **jvm.dll** from the Java into the **hotspot** folder. You want to **Copy & Replace** the existing file with the new one (the Java jvm.dll file).



8. Next **rename** the file: “C:\Program Files\Oracle\JInitiator 1.3.1.21\lib\font.properties.zh.5” to **font.properties.zh.6** *Note: The only value that is changing is the ‘5’; the new file will read: C:\Program Files\Oracle\JInitiator 1.3.1.21\lib\font\properties.zh.6




9. Next **rename** the file: “C:\Program Files\Oracle\JInitiator 1.3.1.21\lib\font.properties.zh.5.1” to **font.properties.zh.6.1**




10. The next step requires you to **Disable the UAP (User Account Protection)**

- Launch **MSCONFIG** by from the **Run** menu. **You can find **Run** by searching for it in the ‘Start Search’ line on the Start Menu*

- b. Click on the **Tools** tab. Scroll down until you find "**Disable UAC**". Click on that line.



- c. Click the **Launch** button.
- d. A **CMD** window will open. When the command is done, you can **close the window**.
- e. **Close MSCONFIG**.
- f. **Reboot** your machine for the changes to apply.
- g. Or you can go to **Control Panel → User Accounts → Turn User Account Control On or Off** and uncheck the “Use User Account Control (UAC) to help protect your computer”:



11. After rebooting your PC, go back to the <https://www.itims.doi.gov> website; click RIFDS and when the Java Applet is done loading click **Grant Always**.